



# MOTORCYCLE LUBRICANTS

# XTAR MOTO 4T 10W40





## DESCRIPTION

A multi-grade, semi-synthetic lubricant oil formulated using Premium **EfficientLUB®** technology. Especially recommended for four-stroke motorcycles and scooters of any capacity, offering good performance under any type of driving conditions.

#### PRODUCT APPLICATIONS

- Recommended for urban traffic with regular stopstarts
- Indicated for any type of use on the road.
- Suitable for motorcycles with combined lubrication of the engine, gearbox and wet clutch. Also suitable for dry-clutch motorcycles.

#### **PRODUCT PERFORMANCE**

- Its formulation of synthetic bases and highly refined mineral oils provides good lubricity at any temperature, especially on start-up at low temperature, and excellent pumpability throughout the operational period.
- Thanks to the new Premium **EfficientLUB**® technology, its performance exceeds JASO requirements in a way that motorcycle riders themselves can experience:
- Smooth driving with effective gear change times as a result of extraordinarily durable clutch plate friction properties.
- Optimal power transfer (while minimizing power losses) as a result of excellent protection against piston and engine valve wear and gear pitting in the gear box.
- Increased engine and oil lifespan due to unrivaled cleaning, TBN retention, antioxidant and heat-resistant properties, which protect the entire engine against corrosion and deposit or sludge formation.

### **SPECIFICATIONS**

API SN

JASO MA2

# M034CCP003 MA2 JASO T903:2011 (MA2) EL RENDIMIENTO ESTÁ GARÁNTZADO PORCEPSA Comercial Petróleo S.A.U

# TYPICAL CHARACTERISTICS

CHARACTERISTICS	UNITS	METHOD	XTAR MOTO 4T
SAE GRADE			10W40
Density at 15°C	g/ml	ASTM D4052	0.874
O/C Flash Point	°C	ASTM D92	238
Pour Point	°C	ASTM D5950	-39
Viscosity at 100°C	cSt	ASTM D445	13.53
Viscosity at 40°C	cSt	ASTM D445	91.16
Viscosity Index		ASTM D2270	150
Total Base Number (TBN)	mg KOH/g	ASTM D2896	8.4
Kinematic Viscosity at 100°C after Shear Stability Test	cSt	ASTM D6278	12.86

# HEALTH & SAFFTY AND ENVIRONMENT

A Material Safety Data Sheet providing information on product hazards, handling precautions, first aid measures, and relevant environmental data is available for this product as per applicable legislation.

Los valores de características típicas que figuran en el cuadro son valores medios dados a título indicativo y no constituyen una garantía. Estos valores pueden ser modificados sin previo aviso.